

# Applying Hot Fix 39 for Sage SalesLogix Version 7.2.2

---

Version 7.2.2.39

Developed by Sage SalesLogix User Assistance



*Your business in mind.*

---

# Applying Hot Fix 39 for Sage SalesLogix Version 7.2.2

<b>Documentation Comments</b>	This documentation was developed by Sage SalesLogix User Assistance. For content revisions, questions, or comments, contact the writers at <a href="mailto:saleslogix.techpubs@sage.com">saleslogix.techpubs@sage.com</a> .
<b>Copyright</b>	Copyright © 1997-2010, Sage Software, Inc. All Rights Reserved. This product and related documentation are protected by copyright and are distributed under licenses restricting their use, copying, distribution, and decompilation. No part of this product or related documentation may be reproduced in any form by any means without prior written authorization of Sage Software and its licensors, if any.
<b>Version</b>	Version 7.2.2.39 2010
<b>Trademarks</b>	SalesLogix is a registered trademark of Sage Software, Inc. Other product names may be trademarks or registered trademarks of their respective companies and are hereby acknowledged.
<b>Disclaimer</b>	Sage Software has thoroughly reviewed this manual. All statements, technical information, and recommendations in this manual and in any guides or related documents are believed reliable, but the accuracy and completeness thereof are not guaranteed or warranted, and they are not intended to be, nor should they be understood to be, representations or warranties concerning the products described. Sage Software assumes no responsibility or liability for errors or inaccuracies with respect to this publication or usage of information. Further, Sage Software reserves the right to make changes to the information described in this manual at any time without notice and without obligation to notify any person of such changes.
<b>Technical Support</b>	Technical Support is available to customers with support contracts directly from Sage Software and to Certified Business Partners. Calls are answered during business hours, Monday through Friday, excluding holidays. Current contact information is available on the Sage SalesLogix Web site. Customers with a valid technical support contract and a Web access code can request technical support electronically on the Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site.  Sage SalesLogix Web site <a href="http://www.saleslogix.com">www.saleslogix.com</a> Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site <a href="http://www.sagesoftwareonline.com">http://www.sagesoftwareonline.com</a>  Revisions to this book are posted on the Sage SalesLogix SupportOnline/Sage Software Online Support and Services Web site. Check this site regularly for current Sage SalesLogix product documentation.

---

# Applying Hot Fix 39 for Sage SalesLogix Version 7.2.2

---

This hot fix addresses the following issues:

Defect	Description
1-69008	An error occurs after changing the status of a campaign stage/task to closed: "Either BOF or EOF is True, or the record was deleted. The requested operation requires a current record."
1-70155	An error occurs when clicking on gray area in Campaign Stages/Tasks tab: "Either BOF or EOF is True, or the record was deleted. The requested operation requires a current record."

This hot fix requires version 7.2.2 and 7.2.2 HF 36. Do not install this hot fix on any other Sage SalesLogix version. Contact your support representative or go to <http://support.saleslogix.com> to obtain the hot fix.

## File Information

File Name	File Contents
SLX_v722_HF39.zip	SLX_v722_HF39.sxb
SLX_v722_HF39.sxb	Forms - Campaign: Stages Tasks - Modified the script on the form.

## Applying the Hot Fix

Ensure you have applied 7.2.2 Hot Fix 36 prior to installing this hot fix. Then, install the bundle using the Administrator. For details on finding the changes to the script, see the section ["Finding Script Changes" on page 2](#). To understand the changes made for defect 1-70155 see ["Changes to the Script on the Campaign: Stages Tasks Form" on page 2](#).

### To install the bundle

1. Close all Sage SalesLogix Client applications.
2. Extract the contents of the **SLX\_v722\_HF39.zip** file to a temporary folder.
3. Open the **Administrator**.
4. On the **Navigation Bar**, click **Bundles**.
5. Click **Install**.
6. Browse to the folder where you extracted the hot fix files and double-click **SLX\_v722\_HF39.sxb**.
7. After the bundle is loaded, the **Choose Actions to Install** dialog box appears. View the plugins to be installed with this release, and then click **OK**.
8. During installation, click **Yes** or **Yes to All** on any confirmation message boxes for overwriting system plugins.

9. In the **Choose Teams** dialog box, select the teams to which you want to release plugins, and then click **OK**.

## Finding Script Changes

You can research changes to Sage SalesLogix scripts, and scripts on forms, with a third-party comparison utility such as Beyond Compare or Microsoft Word. Use the following example procedure to determine the script changes in this hot fix. Then, use that information to update your custom scripts with the Sage SalesLogix changes, or add your customizations to the Sage SalesLogix script.

### To find script changes

1. Apply the upgrade bundle to a test environment.
2. Open the original version of the script or form you want to research in the **Architect**.
3. Right-click the script, and then click **Select All**.
4. Copy and paste the information to a text editor, such as **WordPad**.
5. Save the script with the version number in the name.
6. Repeat steps 2 - 5 for the same plugin updated in this release.
7. Open the original plugin version in **Microsoft Word** (saved in step 5).
8. On the **Tools** menu, click **Compare and Merge Documents**.
9. Browse to and select the updated plugin (saved in step 6) and click **Merge**.
10. View the code changes and determine how to merge the Sage SalesLogix changes with your customizations.

### Changes to the Script on the Campaign: Stages Tasks Form

The change made for defect #1-70155 made sure the FormatColumnText event handler preserves the recordset current position. The lines in red in the following code snippet were added for this purpose.

```
Function grdStageTaskFormatColumnText(Sender, ByRef Column, FormattedText, RawText,
RowValuesArray, ByRef Node)
    Dim i, strDesc, iAbsPos

    Select Case Column.ColIndex
        Case 4
            If (Column.GroupIndex >= 0) Then
                iAbsPos = objStageTaskRS.AbsolutePosition
                objStageTaskRS.MoveFirst
                For i = 0 To objStageTaskRS.RecordCount - 1
                    If objStageTaskRS.Fields("A2_CAMPAIGNSTAGEID").Value = RawText Then
                        If Not (objStageTaskRS.EOF And objStageTaskRS.BOF) Then
                            strDesc = objStageTaskRS.Fields("A2_DESCRIPTION").Value
                            Exit For
                        End If
                    End If
                Next
                objStageTaskRS.MoveNext
                objStageTaskRS.AbsolutePosition = iAbsPos
            End If
            grdStageTaskFormatColumnText = Application.Translator.Localize("Stage:
") & strDesc
        Case Else
    End Select
End Function
```